



OUTDOOR DISTRIBUTION ENCLOSURES & SOLUTIONS
OUTDOOR ENCLOSURES AND ACCESSORIES FOR POWER
DISTRIBUTION, COMMUNICATION AND SYSTEM
INTEGRATION PROJECTS WORLDWIDE.

Reliable Protection.
Flexible Customization.
One-Stop Supply.



COMPANY INTRODUCTION

Manufacturing-Oriented Supplier of Outdoor Enclosures

We specialize in the manufacturing and customization of outdoor enclosures for surveillance, communication, CATV and power distribution applications.

Our focus is on enclosure design, production coordination, customization and quality control, supporting project-based and OEM requirements worldwide.

With a product range covering multiple materials and structures, we help customers match the right enclosure solution to their application.

Metal Distribution Enclosures

Heavy-Duty Protection for Outdoor Power Systems

Application Description

Metal distribution enclosures are designed for outdoor power distribution and industrial applications requiring strong mechanical protection and long-term durability.

They are widely used in infrastructure, industrial sites, energy projects and integrated systems.

Key Applications

- Outdoor power distribution
- Industrial control systems
- Energy & infrastructure projects
- System integration cabinets



Product Series

Wall-mounted metal enclosures
Floor-standing metal enclosures
Customized metal distribution cabinets

Typical Sizes

Small / Medium / Large formats
Wall-mounted & floor-mounted options
Fully customized dimensions available




General Product Parameters

1. Material: Steel/Galvanized Sheet/Stainless Steel (Custom)
2. Surface Treatment: Powder Coating
3. IP Level: IP65/IP55/Nema4
4. Thickness: 1.2mm (Can be custom)
5. Impact Resistance: IK10




PIC	MODEL	Overall Size (W*H*D)
	C1-3415	300*400*150
	C1-3425	300*400*250
	C1-4520	400*500*200
	C1-4525	400*500*250
	C1-4530	400*500*300
	C1-4620	400*600*200
	C1-4625	400*600*250
	C1-4630	400*600*300
	C1-5730	500*700*300

PIC	MODEL	Overall Size (W*H*D)
	M1-3415	300*400*150
	M1-3425	300*400*250
	M1-4520	400*500*200
	M1-4525	400*500*250
	M1-4530	400*500*300
	M1-4620	400*600*200
	M1-4625	400*600*250
	M1-4630	400*600*300
	M1-5730	500*700*300

PIC	MODEL	Overall Size (W*H*D)
	K1-3415	300*400*150
	K1-3425	300*400*250
	K1-4520	400*500*200
	K1-4525	400*500*250
	K1-4530	400*500*300
	K1-4620	400*600*200
	K1-4625	400*600*250
	K1-4630	400*600*300
	K1-5730	500*700*300


PIC	MODEL	Overall Size (W*H*D)
	H1-3415	300*400*150
	H1-3425	300*400*250
	H1-4520	400*500*200
	H1-4525	400*500*250
	H1-4530	400*500*300
	H1-4620	400*600*200
	H1-4625	400*600*250
	H1-4630	400*600*300
	H1-5730	500*700*300


PIC	MODEL	Overall Size (W*H*D)
	T1-3415	300*400*150
	T1-3425	300*400*250
	T1-4520	400*500*200
	T1-4525	400*500*250
	T1-4530	400*500*300
	T1-4620	400*600*200
	T1-4625	400*600*250
	T1-4630	400*600*300
	T1-5730	500*700*300


PIC	MODEL	Overall Size (W*H*D)
	E1-3415	300*400*150
	E1-3425	300*400*250
	E1-4520	400*500*200
	E1-4525	400*500*250
	E1-4530	400*500*300
	E1-4620	400*600*200
	E1-4625	400*600*250
	E1-4630	400*600*300
	E1-5730	500*700*300

PIC	MODEL	Overall Size (W*H*D)
	B1-3415	300*400*150
	B1-3425	300*400*250
	B1-4520	400*500*200
	B1-4525	400*500*250
	B1-4530	400*500*300
	B1-4620	400*600*200
	B1-4625	400*600*250
	B1-4630	400*600*300
	B1-5730	500*700*300





PIC	MODEL	Overall Size (W*H*D)
	S1-3415	300*400*150
	S1-3425	300*400*250
	S1-4520	400*500*200
	S1-4525	400*500*250
	S1-4530	400*500*300
	S1-4620	400*600*200
	S1-4625	400*600*250
	S1-4630	400*600*300
	S1-5730	500*700*300

PIC	MODEL	Overall Size (W*H*D)
	O1-3415	300*400*150
	O1-3425	300*400*250
	O1-4520	400*500*200
	O1-4525	400*500*250
	O1-4530	400*500*300
	O1-4620	400*600*200
	O1-4625	400*600*250
	O1-4630	400*600*300
	O1-5730	500*700*300

PIC	MODEL	Overall Size (W*H*D)
	Q1-3415	300*400*150
	Q1-3425	300*400*250
	Q1-4520	400*500*200
	Q1-4525	400*500*250
	Q1-4530	400*500*300
	Q1-4620	400*600*200
	Q1-4625	400*600*250
	Q1-4630	400*600*300
	Q1-5730	500*700*300

PIC	MODEL	Overall Size (W*H*D)
	T1-3415	300*400*150
	T1-3425	300*400*250
	T1-4520	400*500*200
	T1-4525	400*500*250
	T1-4530	400*500*300
	T1-4620	400*600*200
	T1-4625	400*600*250
	T1-4630	400*600*300
	T1-5730	500*700*300


PIC	MODEL	Overall Size (W*H*D)
	A1-3415	300*400*150
	A1-3425	300*400*250
	A1-4520	400*500*200
	A1-4525	400*500*250
	A1-4530	400*500*300
	A1-4620	400*600*200
	A1-4625	400*600*250
	A1-4630	400*600*300
	A1-5730	500*700*300

PIC	MODEL	Overall Size (W*H*D)
	24U	600*1500*600
	15U	600*800*450
	15U-Base	600*900*450
	24U-Base	600*1500*600

PIC	MODEL	Overall Size (W*H*D)
	18U	18U*600*600
		18U*600*800
		18U*600*1000
	22U	22U*600*600
		22U*600*800
		22U*600*1000
	27U	27U*600*600
		27U*600*800
		27U*600*1000
	32U	32U*600*600
		32U*600*800
		32U*600*1000
	37U	37U*600*600
		37U*600*800
		37U*600*1000
	42U	42U*600*600
		42U*600*800
		42U*600*1000
	47U	47U*600*600
		47U*600*800
		47U*600*1000



Other Electrical Components



Outdoor Power Distribution & Integration

Suitable for outdoor power distribution and system integration projects, supporting unified sourcing of enclosures and accessories.

Product Series


- Metal Distribution Enclosures
- Plastic Distribution Enclosures

Typical Sizes

Standard models & customized designs

Manufacturing Process

From Design to Delivery



Each step is controlled to ensure consistency, customization accuracy and reliable delivery.

Why choose us

Your Manufacturing Partner for Outdoor Enclosures

Manufacturing-oriented operation

Strong customization capability

Multi-material product range

Engineering support throughout projects

One-stop sourcing for enclosures & accessories

Global application experience

Reliable Manufacturing. Flexible Customization. Global Applications.





Let's Start Your Project

Looking for a Reliable Outdoor Enclosure Solution?

Whether you need standard enclosures or fully customized solutions, our team is ready to support your project from concept to production.

▶ What We Can Support

Standard &
customized outdoor enclosures

Multi-material solutions
(metal, aluminum, plastic)

Project-based &
OEM requirements

One-stop sourcing for enclosures &
accessories

To Get a Faster & Accurate Quotation

Application or project description

Required enclosure type

Size or drawing (if available)

Quantity & target delivery time

Our engineering team will review your request and provide a suitable solution.

Let's Build It Together

We believe successful projects start with clear communication and reliable manufacturing support.

Contact us to discuss your enclosure requirements.

Contact Information

Email:

sales@ipenclosure.com

Website:

www.ayipenclosure.com

WhatsApp / Phone:

Tel:

+8613790063252